# **PCT**

## WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISH	HED (	JNDER THE PATENT COOPERATION TREATY (PCT)
(51) International Patent Classification <sup>6</sup> :		(11) International Publication Number: WO 99/53763
A01N 65/00	A1	(43) International Publication Date: 28 October 1999 (28.10.99)
(22) International Application Number: PCT/INS (22) International Filing Date: 31 March 1999 (3) (30) Priority Data: 827/Mas/98 17 April 1998 (17.04.98)  (71)(72) Applicants and Inventors: SUBBA RAO, Print Programmer of the Normal Inventors of th	illariset  illariset	BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  Published  With international search report.
	aricide erived (	formulation composition for the control of house dust mites comprising: disinfectant agent 0.3-3 % wt/vol.; plant derived protein denaturan 0.1-2

#### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

1							
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	1P	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ŻW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		
i					o		
i							

## An Environment Friendly Acaricide Formulation

This invention relates to an environment friendly acaricide formulation for the control of house dust mite population in the domestic environment responsible for high incidence of respiratory allergies and process of preparing the same.

#### 5 BACKGROUND

10

15

20

25

The major culprits for dust allergy are mites (*Dermatophagoides farinae* and *D. pteronyssinus*) prevalent in house dust. Universally, dust mites are minute co-inhabitants in almost every household and can not be seen with the naked eye. They are found in almost all home furnishing textiles and their favourite places are mattresses, cushions, carpets, upholstery and soft toys. The reactions in hypersensitive people range from itchy and watery eyes, repeated sneezes and running nose, cough and bronchial asthma to childhood eczema. The dust on which they thrive may comprise cotton, wool lint, animal and human dander, crumbs, pollens, molds, etc.

House dust mites principally feed on human scales which are primarily found in mattresses. Bedding, carpets etc. During occupation, the temperature and humidity of the human body provides an ideal microclimate in the mattresses for dust mites. Development from egg through larva, protonymph. tritonymph to adult requires about a month in cultures, under optimum conditions. An adult mite can live up to three months. Their food comprises of protein particles and fungi present in the dust.

Mites may occasionally become airbone during bed-making. It has also been demonstrated that they secrete or release some allergens during bed-making. The allergen may comprise mites, eggs, dead mites and their excreta. A gram of dust mite may contain up to 1000 mites.

Most particles of the faeces, whose physical properties are similar to pollen are deposited on the nasal mucosa and carried to the lungs causing localized inflammatory responses because of the high concentration of allergen.

Control of mite population in the domestic environment is the best method of preventing house dust allergy. The degree of cleanliness determines the number of house dust mites and the allergen level. Common control measures include vacuum cleaning, treating the carpets and bed spreads with insecticides, acaricides and fungicides. Reducing the mite population by interfering with the food chain has also been practised. However, a safe, environment friendly and effective formulation based on natural products for the control of house dust mite is not yet commercially available.

#### PRIOR ART

10

15

20

25

A few formulations are commercially available like Acardust, Acaroson, Allerbiocid etc., containing benzyl benzoate, the chief acaricide agent in these formulation is toxic at higher concentrations to humans as well a pets. As the effective concentration of benzyl benzoate used in these formulations is very high, its wide spread use as a domestic acaricide could be harmful.

In one acaricidal formulation, derivatives of phenols in combination with several natural oils have been used as the active acaricide agent in combination with an antibiotic Natamycin as a fungicide. But the wide spread use of phenolic derivatives and essential oils is not safe from physiological and odour point of view. Moreover, the fungicide as such can not destroy the mites.

Apart from this, a few chemicals like benzyl alcohol, primiphos methyl, dibutyl phthalate, gama-hexachlorocyclohexane and diethyl-m-toluamide have been reported in literature as miticides. But from the toxicology and environmental safety point of view their use is not recommended.

Accordingly, the **object** of this invention is to provide an environment friendly acaricide formulation for domestic use which should have the following characteristics:

- All the chemicals used should be safe from the toxicology point of view.

- Should have multiple modes of action i.e., it should control the mite population, prevent the growth of fungi, reduce the existing allergen levels, act as a disinfectant as well as prevent the mites from developing resistance to these chemicals.

Should not have an offensive odour.

5

10

15

20

25

Further, re-establishment of house dust mites after treatment with acaricides is the common problem due to the existence of nymph and eggs. Moreover, the miticide cannot reach the deeper layers of carpets and upholstery. Accordingly, the second **object** of this invention is to control the mites and prevent its reestablishment by preparing the composition which can not only kill the adult mites but also be a ovicide and a larvicide.

To achieve the said objectives this invention provides an environment friendly acaricide formulation for the control of house dust mites comprising:

- plant derived acaricidal agent - 0.01-0.1 % wt./vol.

plant derived disinfectant agent - 0.1-3 % wt./vol.

- plant derived protein denaturant - 0.1-2 % wt./vol.

- fungistat agent - 0.1-3% wt./vol.

- dispersing agent (alcohol) - 99.69-91.9% wt./vol

The plant derived acaricidal agent is neem seed kernel extract containing azadirachtin / azadirachtin A of 2-90 % enrichment and preferably of 20-35 % enrichment.

The neem seed kernel extract contains limonoids like nimbin, salannin, desacetylnimbin, desacetylsalannin, nimbandiol, azadirachtin-B and salannolacetate for preventing the mites from developing resistance against the active ingredient.

The plant derived disinfectant agent is an alcoholic extract of resins like stryax benzoin and the plant derived protein denaturant is plant polyphenols like

tannic acid, condensed tannins, phenolic compounds like gallic acid and phloroglucinol.

The fungistat agents are fungicides used in food industry like natamycin, nipagin and the dispersing agents are ethanol, methanol and isopropyl alcohol.

The ingredients viz. plant derived acaricidal agent, plant derived disinfectant agent, plant derived protein denaturant and fungistat agent of this composition are solids which are dissolved in an alcoholic solvent (dispersing agent) to give a clear pale brown coloured solution.

The invention will now be described with reference to the following examples.

#### EXAMPLE - 1

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 20% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Ethanol	94.9

#### EXAMPLE - 2

15

5

10

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 35% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Ethanol	94.9

## EXAMPLE - 3

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 90% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Ethanol	94.9

## EXAMPLE - 4

5

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 2% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Ethanol	94.9

## EXAMPLE - 5

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 20% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Isopropyl alcohol	94.9

#### WO 99/53763

## EXAMPLE - 6

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 35% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Isopropyl alcohol	94.9

## EXAMPLE - 7

5

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 90% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Isopropyl alcohol	94.9

## EXAMPLE - 8

S. No.	Ingredients	Weight/volume (%)
1.	Neem seed kernel extract containing azadirachtin of 2% enrichment	0.1
2.	Alcoholic extract of benzoin resin	3.0
3.	Tannic acid	1.0
4.	Nipagin	1.0
5.	Isopropyl alcohol	94.9

### **Conclusion:**

Composition in Table 2 is very efficient in terms of speed of action and mite elimination. The total adult population is immobilized within an hour of treatment. A biweekly spray of 200 µl/100mg of the culture is required for 8 weeks to completely eliminate the population. Reestablishment on treated areas is totally prevented after 8 weeks. After eradication a biweekly prophylactic spray can contain population build up.

7

#### We claim:

5

1. An environment friendly acaricide formulation composition characterized by:

- plant derived acaricidal agent - 0.01-0.1 % wt./vol.

- plant derived disinfectant agent - 0.1-3 % wt./vol.

- plant derived protein denaturant - 0.1-2 % wt./vol.

- fungistat agent - 0.1-3% wt./vol.

- dispersing agent (alcohol) - 99.69-91.9% wt./vol

2. Formulation as claimed in claim 1 wherein the plant derived acaricidal agent is neem seed kernel extract containing azadirachtin of 2-90 % enrichment.

- 3. Formulation as claimed in claim 1 wherein the plant derived acaricidal agent is neem seed kernel extract containing azadirachtin A of 2-90 % enrichment.
  - 4. Formulation composition as claimed in claim 1 wherein the plant derived acaricidal agent is neem seed kernel extract containing azadirachtin / azadirachtin A preferably of 20-35 % enrichment.
- 5. Formulation as claimed in claim 2 wherein the neem seed kernel extract contains limonoids like nimbin, salannin, desacetylnimbin, desacetylsalannin, nimbandiol, azadirachtin-B and salannolacetate for preventing the mites from developing resistance against the active ingredient.
- 6. Formulation as claimed in claim 1 wherein the plant derived disinfectant agent is an alcoholic extract of resins like stryax benzoin.
  - 7. Formulation as claimed in claim 1 wherein the plant derived protein denaturant is plant polyphenols like tannic acid, condensed tannins, phenolic compounds like gallic acid and phloroglucinol.
- 8. Formulation as claimed in claim 1 wherein the fungistat agents are fungicides used in food industry like natamycin, nipagin.
  - 9. Formulation as claimed in claim 1 wherein the dispersing agents are ethanol, methanol, isopropyl alcohol.

#### INTERNATIONAL SEARCH REPORT

International application No. PCT/IN 99/00011

		PCT/IN 99/0001	1
A. CLASS	SIFICATION OF SUBJECT MATTER		
IPC <sup>6</sup> : A 0	1 N 65/00		
	International Patent Classification (IPC) or to both nat	tional classification and IPC	
	S SEARCHED cumentation searched (classification system followed by	by classification symbols)	
IPC <sup>6</sup> : A 0		,,	
Documentation	on searched other than minimum documentation to the	extent that such documents are included in	the fields searched
Electronic da	ata base consulted during the international search (name	e of data base and, where practicable, searc	th terms used)
WPI	·		
C. DOCU	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropr	iate, of the relevant passages	Relevant to claim No.
A	US 5 405 612 A (LOCKE et al.), 11 Ap.	ril 1995 (11.04.95), claims.	1-5
A	EP 0 405 291 A1 (W.R.GRACE & CO. example 5; claims8,9.	), 02 January 1991 (02.01.91),	1-5,9
A	DATABASE WPI ON EPOQUE, week 9408, London: Derwent Publications Ltd., AN 94-061960, class B 04m JP 6016515 A (NIPPON KAYAKU KK), abstract.		
A	DE 195 32 447 A1 (REMBOLD), 06 March 1997 (06.03.97), example 1; claims 1-5,15,17,18.		1-5
Further	r documents are listed in the continuation of Box C.	See patent family annex.	
"A" document considere "E" earlier ap filing date "L" document cited to es special re "O" document means "P" document	ategories of cited documents:  It defining the general state of the art which is not  d to be of particular relevance plication or patent but published on or after the international e t which may throw doubts on priority claim(s) or which is stablish the publication date of another citation or other ason (as specified) t referring to an oral disclosure, use, exhibition or other t published prior to the international filing date but later than ty date claimed	"T" later document published after the internat date and not in conflict with the application the principle or theory underlying the invext document of particular relevance: the claim considered novel or cannot be considered when the document is taken alone "Y" document of particular relevance; the claim considered to involve an inventive step we combined with one or more other such do being obvious to a person skilled in the au "&" document member of the same patent fam	n but cited to understand intion med invention cannot be to involve an inventive step med invention cannot be hen the document is ocuments, such combination of
	actual completion of the international search	Date of mailing of the international searc	h report
	28 June 1999 (28.06.99)	03 August 1999 (03	.08.99)
	nailing adress of the ISA/AT	Authorized officer	
	Patent Office kt 8-10; A-1014 Vienna	Schnass	
i	60. 1/53424/200	Telephone No. 1/53424/217	
L		Telephone no. 1133727/211	

## INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/IN 99/00011

angeführtes Patent di in sear Document di	rchenbericht : Patentiokument ocument cited ch report e brevet cité port de recherche	Datum der Veräffentlichung Publication date Date de publication	Mitglied(er) der Patentfamilie Patent family member(s) Membre(s) de la famille de brevets	Datum der Veröffentlichung Publication date Date de publication
US A	5405612	11-04-1995	AT E 11307 AU B2 6257 AU B2 69012538 DE A1 690126257 A36257 B2 690126257 A36257 B2 A36257 B364180 B37 A2 2356880 B37 A2 2356880 B37 A3 5356880 B37 A3 5356880 B37 A3 5356880 B37 A3 5356880 B37 A3 5411736	15-09-1994 04-07-1991 04-02-1993 26-06-1993 26-06-1994 12-01-1995 16-07-1991 14-09-1994 16-11-1992 28-04-1992 18-10-1994 29-11-1994 02-05-1995
EP A1	405291	02-01-1991	AU A1 57759/90 AU B2 619720 CA AA 200119888 CDE T2 690115291 EES TA2 2053857426 DP AB2 20538574295 DP AB2 20538574295 DP AB 502434499 DP A A 50124349 US B1 51249	03-01-1991 30-01-1992 26-12-1990 06-10-1994 12-01-1994 31-08-1994 31-11-1994 19-02-1991 24-12-1992 26-02-1991 28-02-1997 28-02-1997 19-03-1997 19-03-1998
JP A2	6016515	25-01-1994	keine - none - rie	n
DE A1	19532447	06-03-1997	keine – none – rie	n